

EQUIPMENT
GUIDE

982338
45G1



MAX. GROSS 32.500 KGS
71.650 LBS

TARE 3.790 KGS
8.360 LBS

NET 28.710 KGS
63.290 LBS

CU.CAP. 76.4 CU.M.
2.698 CU.FT.



ACL



20' x 8'6" Dry Van



EXTERNAL DIMENSIONS

Length	Width	Height
20'	8'	8' 6"
6,058 mm	2,438 mm	2,591 mm

INTERNAL DIMENSIONS

Length	Width	Height
19' 4-1/4"	7' 8-5/8"	7' 10-1/4"
5,898 mm	2,352 mm	2,393 mm

DOOR OPENING

Width	Height
7' 8-1/8"	7' 6-1/4"
2,340 mm	2,280 mm

GROSS WEIGHT

TARE	VOLUME
67,196 lbs.	1,172 cu. ft.
30,480 kg	33.196 cu. m.

20' x 8'6" Open Top



EXTERNAL DIMENSIONS

Length	Width	Height
20'	8'	8' 6"
6,058 mm	2,438 mm	2,591 mm

INTERNAL DIMENSIONS

Length	Width	Height
19' 4-1/8"	7' 8-1/2"	7' 8-1/8"
5,898 mm	2,352 mm	2,348 mm

DOOR OPENING

Width	Height
7' 8-1/8"	7' 5-3/4"
2,340 mm	2,280 mm

GROSS WEIGHT

TARE	VOLUME
67,197 lbs.	1,150 cu. ft.
30,480 kg	32.572 cu. m.

40' x 9'6" High Cube



EXTERNAL DIMENSIONS

Length	Width	Height
40'	8'	9' 6"
12,192 mm	2,438 mm	2,896 mm

INTERNAL DIMENSIONS

Length	Width	Height
39' 5-5/8"	7' 8-5/8"	8' 10-1/4"
12,032 mm	2,352 mm	2,698 mm

DOOR OPENING

Width	Height
7' 8-1/8"	8' 6-1/4"
2,340 mm	2,585 mm

GROSS WEIGHT

TARE	VOLUME
71,650 lbs.	2,696 cu. ft.
32,500 kg	76.351 cu. m.

40' x 8'6" Open Top



EXTERNAL DIMENSIONS

Length	Width	Height
40'	8'	8' 6"
12,192 mm	2,438 mm	2,591 mm

INTERNAL DIMENSIONS

Length	Width	Height
39' 5-1/2"	7' 8-1/2"	7' 8-5/8"
12,032 mm	2,352 mm	2,348 mm

DOOR OPENING

Width	Height
7' 8-1/8"	7' 5-3/4"
2,340 mm	2,280 mm

GROSS WEIGHT

TARE	VOLUME
67,196 lbs.	2,347 cu. ft.
30,480 kg	66.447 cu. m.

Note: ACL's dry van and high cube containers share eco-friendly bambooo flooring.

40' x 9'6" Open Top High Cube



EXTERNAL DIMENSIONS

Length	Width	Height
40'	8'	9' 6"
12,192 mm	2,438 mm	2,896 mm

INTERNAL DIMENSIONS

Length	Width	Height
39' 5-1/2"	7' 8-5/8"	8' 8-5/8"
12,032 mm	2,352 mm	2,653 mm

DOOR OPENING

Width	Height
7' 8-1/8"	8' 5-1/4"
2,340 mm	2,585 mm

GROSS WEIGHT

TARE	VOLUME
71,650 lbs.	2,630 cu. ft.
32,500 kg	74.6 cu. m.

40' x 9'6" High Cube Refrigerated



EXTERNAL DIMENSIONS

Length	Width	Height
40'	8'	9' 6"
12,192 mm	2,438 mm	2,896 mm

INTERNAL DIMENSIONS

Length	Width	Height
38' 1/4"	7' 5-1/8"	8' 4-1/4"
11,588 mm	2,284 mm	2,545 mm

DOOR OPENING

Width	Height
7' 8-1/8"	8' 5-1/4"
2,340 mm	2,585 mm

GROSS WEIGHT

TARE	VOLUME
77,161 lbs.	2,630 cu. ft.
35,000 kg	74.6 cu. m.



Roll Trailer/Mafi

DIMENSIONS

Length	Maximum Payload
20'	20-60 Ton
30'	70-160 Ton
40'	80-130 Ton
50'	90-100 Ton
60'	60-120 Ton
62' *	62-100 Ton
80'	120-150 Ton

* 62' units have fixed rail systems and are specialized for rail equipment.



Heavy Duty Drawbar Roll Trailer

DIMENSIONS

Length	Maximum Payload
26'	170 Ton
42'	220 Ton

Note: Capacities and dimensions may vary based on date of manufacturing.



42' Flatbed

EXTERNAL DIMENSIONS

Length	Width
42'	8'
12,802 mm	2,428 mm

GROSS WEIGHT	TARE
80,000 lbs.	10,500 lbs.
36,287 kg	4,762 mm

The flatbed is equipped with securing devices, ABS braking system & dual voltage system.



48' - 80' Extendible Flatbed

EXTERNAL DIMENSIONS

Length Closed	Length Open
48'	80'
14,630 mm	24,384 mm

GROSS WEIGHT	TARE
80,000 lbs.	16,500 lbs.
36,287 kg	7,484 kg

Flatbed must be in closed position to get maximum cargo weight.



40' Flatrack

EXTERNAL DIMENSIONS

Length	Width	Height
40'	8'	9' 6"
12,202 mm	2,438 mm	2,896 mm

INTERNAL DIMENSIONS

Length Between Headboard	Length Between Corner Post	Width Overall Deck	Height
38' 9"	38' 4"	7' 9"	7' 5-1/8"
11,642 mm	11,582 mm	2,374 mm	2,264 mm

GROSS WEIGHT	TARE
110,231 lbs.	9,921 lbs.
50,000 kg	4,500 kg

ACLcargo.com

Note: We continuously improve our services & reserve the right to change specifications without notice. Since weights vary by geographical location, contact your ACL representative or visit <https://www.aclcargo.com/payload-guidelines> for more details and payload guidelines.